

warrants to:

that <b>DIZAL</b> will comply with the standards set out in Clauses 1 and 2 to the conditions set out in Clause 3 of this warranty (attached), whose codes are listed below.	
Owner or Contractor Name:	
Project Name:	
Property Address:	
Work Completion Date:	
Description of Products Used on the Job Site:	
I have read and agree to the terms of the DIZAL 25-year finish warra of a copy of the Warranty Certificate.	anty and I acknowledge receipt
Owner or Contractor Name	Date
Signature	
Duly authorized on behalf of DIZAL	
Name and Title	Date
Signature	-

2018 Warranty R3 www.dizal.com



Clause 1. DIZAL expressly warrants that its aluminum siding and soffits are free of any defects in material or workmanship.

When the siding is applied and maintained according to DIZAL's instructions, it is guaranteed against the following:

<u>Buckling</u>. The product is free of any buckling, except any buckling due to the structure or mounting surface on which the product is affixed. For the purposes of this warranty, buckling is defined as warping of the product(s) exceeding one-sixteenth of an inch out of plane per linear foot.

<u>Corrosion.</u> When it is applied and maintained according to DIZAL's instructions, the product is also guaranteed against rust and corrosion. *Subject to the limitations set out in Clause 3*.

<u>In the event the product presents a deficiency</u> related to a defect in material or workmanship during the limited warranty period, DIZAL agrees, at its sole discretion, to repair or replace the defective part of the product.

DIZAL WILL NOT REFUND ANY COST RELATED TO LABOR OR ACCESSORY MATERIALS.



Clause 2. Finish (the term "finish" is used to define the primer layer, the high definition printed layer and the clear protective coating)

During the warranty period, the **finish** will have the following properties:

<u>Resistance to Cracking and Crazing</u>. There will be no visible cracking or crazing of the **finish** on the building.

<u>Color Retention.</u> No change in the color of the **finish** on the building greater than 5 (five) CIE Lab units measured per ASTM D2244 Section 6.3. Color change will be measured on the exposed surface after it has been cleaned to remove oil, grease or other contaminants. The corresponding values will be compared to the original batch panel.

<u>Gloss Retention.</u> The coated surface will exhibit gloss retention of at least 30% of the original. Gloss retention will be measured on the exposed **finish** surface after it has been cleaned to remove oil, grease or other contaminants. The corresponding values will be compared to the original manufactured panel.

<u>Adhesion</u>. The **finishes**, which adhesion is initially measured on reference test panels per ASTM D3359 will not peel.



## Clause 3. Warranty Terms

<u>The "warranty period"</u> for the warranties in Clause 1 means the entire life of the product and as long as the "owner" or "purchaser" named above lives in or owns the property where the product was originally installed. The warranty in Clause 2 is valid for a period of twenty-five (25) years commencing on the date of completion.

<u>Registration of the product</u> is preferable. The warranty is valid even if you do not send in the warranty registration form, but registering the warranty allows us to confirm the product purchase date and helps DIZAL process claims.

This warranty covers the original purchaser and one other owner of the building where the products have been installed.

This warranty may be transferred one (1) time from the original owner. To transfer the warranty, send a written notice within 90 days of the transfer of the building. The notice must indicate the warranty registration number, the building address, the name and mailing address (if different) of the new owners and the date of transfer. Keep your proof of purchase because it will be required if you need to submit a claim.

<u>Normal atmospheric conditions</u> exclude corrosive or especially polluted atmospheres, such as atmospheres contaminated with chemical fumes.

DIZAL recommends cleaning the product with fresh water and following the maintenance instructions (see maintenance).



#### The warranty does not cover:

- a. Damage to the coated metal caused by handling, shipping, processing or installation; or
- **b.** Damage to the coated metal caused by scratching or abrasion after installation; or
- c. Damage to the coated metal caused by standing water in horizontal installations.
- d. The warranty does not apply to damage caused by acts of God, falling objects, external forces, explosions, fires, riots, civil commotion, acts of war or other such similar or dissimilar occurrences beyond the control of DIZAL.
- Claims must be submitted in writing to DIZAL within a reasonable timeframe following the detection of the problem, and authorization must be obtained before beginning any repair or refinishing work. After receiving such notice, DIZAL must be given a reasonable opportunity to inspect and verify the claim.
- DIZAL's liability under this warranty is limited to repair or replacement, at the sole discretion of DIZAL.
- The warranty on any repaired or replaced coated metal is valid for the remainder of the warranty period applicable to the original product. All work will be performed by a company or contractor selected or authorized by DIZAL. Variation in color between repaired or replaced products and original products will not be considered defects



<u>This warranty represents the complete agreement</u> between the parties in relation to its subject matter and supersedes any previous agreement whether written or oral between the parties in relation to its subject matter. The limited warranties state the full liability of DIZAL regarding the products they cover. DIZAL is not liable for consequential damages. No person is authorized to make any statement regarding the warranty on behalf of DIZAL except as expressly set forth above, and any such statement shall not be binding on DIZAL.

Except as expressly set forth above, DIZAL makes no warranty of any kind, express or implied, including, but not limited to, any warranty of merchantability or fitness for a particular purpose. Warranties are valid for the duration of the limited warranty or such shorter duration as provided by local law. These limited warranties give you specific legal rights, and you may also have other rights which vary by region.

NOTHING IN THIS WARRANTY SHALL BE CONSTRUED AS A WARRANTY OF THE WORKMANSHIP OF ANY INSTALLER OR AS IMPOSING ON DIZAL ANY LIABILITY FOR UNSATISFACTORY PERFORMANCE CAUSED BY FAULTY WORKMANSHIP IN INSTALLATION.

<u>Maintenance</u>. Every year, it is recommended to clean dust, dirt and other deposits off the coated surface using a soft sponge or cloth, water and mild detergent or soap with a pH between 5 and 9. Pressure washing, harsh cleaning products and chemicals are proscribed.